

TABLE OF CONTENTS

Amplifiers 2

AMPLIFIERS



MX30R

Input Voltage	~100V, ~110V, ~120V, ~220V, ~230V, ~240V 50/60Hz (Factory option)
Power Require	65W
Power Outage	30W R.M.S.
Rated Load Impedance	6 Ohm
Speaker	Custom 10" Speaker
Dimensions	417x450x265
Weight	10.6



MX15R

Input Voltage	~100V, ~110V, ~120V, ~220V, ~230V, ~240V 50/60Hz (Factory option)
Power Require	35W
Power Outage	15W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 8"
Dimensions	357x342x202
Weight	6.2



MX15

Input Voltage	~100V, ~110V, ~120V, ~220V, ~230V, ~240V 50/60Hz (Factory option)
Power Require	35W
Power Outage	15W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 8"
Dimensions	357x342x202
Weight	6



CM10G

The CM Series provides the perfect starting point for any guitar player or bassist. Each has 10 watts, a 3 band EQ and a headphone output.

Input Voltage	~100V, ~110V, ~120V, ~220V, ~230V, ~240V 50/60Hz (Factory option)
Power Require	20W
Power Outage	10W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 6.5"
Dimensions	294x302x156
Weight	3.8



GE30B

The GE Series bass amplifiers pack power and punch in a small package. Whether you are practicing, jamming or performing at a small venue, the GE Series will deliver the bottom end with a built-in compressor, active/passive input option and metal grille.

Input Voltage	Varies Depending on the Region
Power Require	65W
Power Outage	30W R.M.S.
Rated Load Impedance	6 Ohm
Speaker	Custom 10" Speaker
Dimensions	417x450x265
Weight	10.6



GE15B

The GE Series bass amplifiers pack power and punch in a small package. Whether you are practicing, jamming or performing at a small venue, the GE Series will deliver the bottom end with a built-in compressor, active/passive input option and metal grille.

Input Voltage	Varies Depending on the Region
Power Require	35W
Power Outage	15W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 8"
Dimensions	337x335x302
Weight	7.7



AF60

The Cort AF30 and AF60 models provide 30 watts and 60 watts, respectively, of clean solid state power as well as onboard DSP for lush chorus, delay and chorus-delay effects. The AF Series amps also feature a 4-band graphic EQ for further tone-shaping as well as a notch filter to eliminate feedback – a feature normally found in amps that cost much more. Ideal for small venues, rehearsals and practice applications, the mobile but powerful AF30 will extend the range of your acoustic-electric guitar with performance, features, value and musicality.

Input Voltage	Varies Depending on the Region
Power Require	120W
Power Outage	30W x 2 R.M.S.
Rated Load Impedance	40hm
Speaker	Two 8" Woofer and one tweeter
Dimensions	475x320x305
Weight	12kg



AF 30

The Cort AF30 and AF60 models provide 30 watts and 60 watts, respectively, of clean solid state power as well as onboard DSP for lush chorus, delay and chorus-delay effects. The AF Series amps also feature a 4-band graphic EQ for further tone-shaping as well as a notch filter to eliminate feedback – a feature normally found in amps that cost much more. Ideal for small venues, rehearsals and practice applications, the mobile but powerful AF30 will extend the range of your acoustic-electric guitar with performance, features, value and musicality.

Input Voltage	Varies Depending on the Region
Power Require	65W
Power Outage	30W R.M.S.
Rated Load Impedance	30W R.M.S.
Speaker	One 8" Woofer and one tweeter
Dimensions	392x320x305
Weight	8kg



CM30R BK

The new CM30R offers the same new enhanced exterior design as the 15R but with twice the power output for musicians who need a compact yet powerful amplifier for practicing with a loud band and performing in smaller-sized venues.

Input Voltage	Varies Depending on the Region
Power Require	70W
Power Outage	30W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 10" Speaker
Dimensions	380x365x200
Weight	9Kg



CM15R BK

The CM Series provides the perfect starting point for any guitar player or bassist. Whether you are an entry-level player or a seasoned pro in need of a highly portable and great sounding amplifier for practice sessions, the CM Series amps offer a wide range of features with excellent sounds for a variety of musical applications.

Input Voltage	Varies Depending on the Region
Power Require	35W
Power Outage	15W R.M.S.
Rated Load Impedance	8 Ohm
Speaker	Custom 8"
Dimensions	305x315x190
Weight	6Kg